Conforms to REGULATIONS FOR HAZARDOUS CHEMICAL AGENTS, 2021, Government Gazette 44348

### **SAFETY DATA SHEET**



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product name	Hyspin AWS 68
Product code	456618-ZA01
SDS #	456618
Product type	Liquid.
1.2 Relevant identified uses of	of the substance or mixture and uses advised against
Use of the substance/ mixture	Hydraulic fluid. For specific application advice see appropriate Technical Data Sheet or consult our company representative.
1.3 Details of the supplier of	the safety data sheet
Supplier	BP Southern Africa (Pty)Ltd 199 Oxford Road Oxford Parks Dunkeld, 2196 South Africa
E-mail address	Product Technical Helpdesk: 0800 111 551 MSDSadvice@bp.com

# 1.4 Emergency telephone numberEMERGENCYTygerberg Poison Centre: 0861 555 777TELEPHONE NUMBERCarechem: +27 21 300 2732 (24/7)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Product definition Mixture

Not classified.

**1.1 Product identifier** 

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

2.2 Label elements	
Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Hazardous ingredients	Not applicable.
Supplemental label elements	Not applicable.
Special packaging requirement	<u>nts</u>
Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.

#### 2.3 Other hazards

ſ	Product name Hyspin AWS 68			Product code	456618-ZA01	Page: 1/9	
	Version 3	Date of issue	8 December 2022	Format	South Africa	Language	ENGLISH
	Date of previo	ous issue	22 November 2022.		(South Africa)		

### **SECTION 2: Hazards identification**

Other hazards which do	Defatting to the skin.	
not result in classification	Note: High Pressure Applications	
	Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency.	
	See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet.	

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Product definition Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

#### **SECTION 4: First aid measures**

4.1 Description of first aid me	easures		
Eye contact	<ul><li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.</li><li>Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.</li></ul>		
Skin contact			
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.		
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.		
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.		

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

along tissue planes.

Potential acute health effe	<u>ects</u>		
Inhalation	Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure.		
Ingestion	No known significant effects or critical hazards.		
Skin contact Defatting to the skin. May cause skin dryness and irritation.			
Eye contact No known significant effects or critical hazards.			
Delayed and immediate eff	fects as well as chronic effects from short and long-term exposure		
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.		
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.		
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.		
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.		
4.3 Indication of any immed	diate medical attention and special treatment needed		
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances		

### **SECTION 5: Firefighting measures**

Hazardous combustion products   Product name   Hyspin AWS 66   Version 3	carbon oxides (CO, CO <sub>2</sub> )	(carbon monoxide, carbon dioxide) Product code 456 Format South Africa		Page: 2/9 ENGLISH
products	carbon oxides (CO, CO <sub>2</sub> )	(carbon monoxide, carbon dioxide)	618-ZA01	Page: 2/9
	Compution products ma	y include the following:		
5.2 Special hazards arising f Hazards from the substance or mixture		<b>re</b> essure increase will occur and the cont	ainer may burst.	
Unsuitable extinguishing media	Do not use water jet. Th burning product.	e use of a water jet may cause the fire t	to spread by spla	shing the
media	In case of fire, use foam,	dry chemical or carbon dioxide extingu	isher or spray.	

### **SECTION 5: Firefighting measures**

5.3 Advice for firefighters			
Special precautions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.		
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		
<b>SECTION 6: Accident</b>	al release measures		
6.1 Personal precautions, prot	ective equipment and emergency procedures		
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.		
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		

#### 6.3 Methods and material for containment and cleaning up

Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spillStop leak if without risk. Move containers from spill area. Prevent entry into sewer courses, basements or confined areas. Contain and collect spillage with non-comb absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in for disposal according to local regulations. Dispose of via a licensed waste disposa			
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.		

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment.			
Advice on general Eating, drinking and smoking should be prohibited in areas where this material is ha stored and processed. Wash thoroughly after handling. Remove contaminated clot protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.				
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.			
Not suitable	Prolonged exposure to elevated temperature			
7.3 Specific end use(s)				
Recommendations	See section 1.2 and Exposure scenarios in annex, if applicable.			

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limits	No exposure limit value known.		
Product/ingredient name	Exposure limit values		
Whilet expecific OELs for cortain components may be	shown in this section, other components may be present in any		

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

ſ	Product name Hyspin AWS 68			Product code 456618-ZA01		Page: 3/9	
	Version 3	Date of issue	8 December 2022	Format	South Africa	Language	ENGLISH
	Date of previo	ous issue	22 November 2022.		(South Africa)		

## **SECTION 8: Exposure controls/personal protection**

	· · ·	
Recommended monitoring procedures	Reference should be made to monitoring standa EN 689 (Workplace atmospheres - Guidance for chemical agents for comparison with limit values Standard EN 14042 (Workplace atmospheres - for the assessment of exposure to chemical and (Workplace atmospheres - General requirement measurement of chemical agents) Reference to the determination of hazardous substances will	r the assessment of exposure by inhalation to s and measurement strategy) European Guide for the application and use of procedures biological agents) European Standard EN 482 s for the performance of procedures for the o national guidance documents for methods for
<b>Biological exposure indices</b>		
Product/ingredient	name	Exposure indices
No exposure indices known.		
Derived No Effect Level		
No DNELs/DMELs available.		
Predicted No Effect Concentra	ation	

No PNECs available

Date of previous issue

22 November 2022.

Version 3 Date of	issue 8 December 2022	Format South Africa	Language	ENGLISH
Product name Hyspin A	WS 68	Product code 45667	18-ZA01	Page: 4/9
	can be obtained. If suitable gloves are not ava	ikthrough time of 240 minutes, or >48 ailable to offer that level of protection, acceptable as long as appropriate glo termined and adhered to.	, gloves with sh	orter
	and represent how long a gluis important when following liconditions are taken into accepted technical information on bread our recommendations on the	ove can be expected to provide effect breakthrough time recommendations count. Always consult with your glove akthrough times for the recommended e selection of gloves are as follows:	tive permeation that actual work supplier for up-	resistance. It place
		generated by glove manufacturers un		
	Gloves should be chosen in a full assessment of the wor	consultation with the supplier / manut king conditions.	facturer and tak	ing account of
	should be developed for eac depends upon the chemicals provide protection for only a	onments and material handling praction intended application. The correct cl s being handled, and the conditions o limited time before they must be disc ves will break down after repeated ch	hoice of protect f work and use. arded and repla	ive gloves Most gloves aced (even the
Skin protection Hand protection	General Information:			
Eye/face protection	Safety glasses with side shie	elds.		
Respiratory protection	The correct choice of respira conditions of work and use, should be developed for eac	ation, wear suitable respiratory equipn atory protection depends upon the cha and the condition of the respiratory ea ch intended application. Respiratory p ultation with the supplier/manufacture	emicals being h quipment. Safel rotection equipi	ty procedures ment should
Individual protection r Hygiene measures	Wash hands, forearms and smoking and using the lavat	face thoroughly after handling chemic ory and at the end of the working peri are close to the workstation location.	iod. Ensure that	
	kept in good condition and p Your supplier of personal pr appropriate standards. For The final choice of protective ensure that all items of perso		ed for advice or nal organisatior assessment. It is	n selection and i for standards.
8.2 Exposure controls Appropriate engineerin controls	concentrations below their re All activities involving chemi exposures are adequately co after other forms of control r	or other engineering controls to keep espective occupational exposure limit cals should be assessed for their risk ontrolled. Personal protective equipm neasures (e.g. engineering controls) h ent should conform to appropriate star	s. s to health, to e ent should only nave been suita	nsure be considered bly evaluated.

(South Africa)

### **SECTION 8: Exposure controls/personal protection**

Short-term / splash protection:

Recommended breakthrough times as above.

It is recognised that for short-term, transient exposures, gloves with shorter breakthrough times may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.

#### Glove Thickness:

For general applications, we recommend gloves with a thickness typically greater than 0.35 mm.

	For general applications, we recommend gloves with a thickness typically greater than 0.35 mm.
	It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	Liquid.
Colour	Amber.
Odour	Not available.
Odour threshold	Not available.
рН	Not applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	-21 °C
Flash point	Øpen cup: >200°C (>392°F) [Cleveland ASTM D 92]
Evaporation rate	Not available.

Product name	Hyspin AWS 68	8		Product code 456618	ZA01	Page: 5/9
Version 3	Date of issue	8 December 2022	Format	South Africa	Language	ENGLISH
Date of previo	us issue	22 November 2022.		(South Africa)		

L

Flammability (solid, gas)	Not available.						
Lower and upper explosion limit	Not available.						
Vapour pressure		Vapou	r Press	ure at 20°C	Vapo	our pres	sure at 50°C
	Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
	Stillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	<0.08	<0.011	ASTM D 5191			
Relative vapour density	Not available.						
Relative density	Not available.						
Density	<1000 kg/m³ (<1 g/d	cm³) at 20	°C				
Solubility(ies)							
Media	Result						
water	Not soluble						
Partition coefficient: n-octanol/ water	Not applicable.						
Auto-ignition temperature	Not available.						
Auto-ignition temperature Decomposition temperature	Not available. Not available.						
Decomposition temperature					445)		
Decomposition temperature Viscosity	Not available. Kinematic: 68 mm²/				445)		
Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidising properties	Not available. Kinematic: 68 mm²/ Kinematic: 8.6 mm²				445)		
Decomposition temperature Viscosity Explosive properties Oxidising properties	Not available. Kinematic: 68 mm²/ Kinematic: 8.6 mm²/ Not available.				445)		
Decomposition temperature Viscosity Explosive properties Oxidising properties	Not available. Kinematic: 68 mm²/ Kinematic: 8.6 mm²/ Not available.				445)		
Decomposition temperature Viscosity Explosive properties Oxidising properties Particle characteristics	Not available. Kinematic: 68 mm²/ Kinematic: 8.6 mm²/ Not available. Not available.				445)		
Decomposition temperature Viscosity Explosive properties Oxidising properties Particle characteristics Median particle size	Not available. Kinematic: 68 mm²/ Kinematic: 8.6 mm²/ Not available. Not available.				445)		

10.1 Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.
10.2 Chemical stability	The product is stable.
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
10.4 Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
10.5 Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

Date of previous issue

22 November 2022.

11.1 Information on haza Acute toxicity estimate Not available.	rd classes as defined in Regul <u>es</u>	ation (EC) No 1272	2/2008		
Information on likely routes of exposure	Routes of entry anticipate	ed: Dermal, Inhalatio	on, Eyes.		
Potential acute health ef	fects				
Inhalation	Vapour inhalation under pressure.	ambient conditions i	is not normally a pro	blem due to low	vapour
Ingestion	No known significant effe	ects or critical hazar	ds.		
Skin contact	Defatting to the skin. Ma	y cause skin drynes	s and irritation.		
Eye contact	No known significant effe	ects or critical hazar	ds.		
Product name Hyspin AW	S 68		Product code 4566	18-ZA01	Page: 6/9
Version 3 Date of is	sue 8 December 2022	Format	South Africa	Language	ENGLISH

(South Africa)

### **SECTION 11: Toxicological information**

Symptoms related to the phy	sical, chemical and toxicological characteristics
Inhalation	No specific data.
Ingestion	No specific data.
Skin contact	Adverse symptoms may include the following: irritation dryness cracking
Eye contact	No specific data.
Delayed and immediate effect	cts as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Potential chronic health effe	<u>cts</u>
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

#### 11.2 Information on other hazards

11.2.2 Other information

Not available.

### **SECTION 12: Ecological information**

12.1 Toxicity

Not classified as dangerous

#### 12.2 Persistence and degradability

Expected to be biodegradable.

**Environmental hazards** 

#### 12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (K <sub>oc</sub> )	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

#### 12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.
12.7 Other adverse effects	No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

=	
13.1 Waste treatment meth	ods
Product	
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Hazardous waste	Yes.
Packaging	
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Waste code	European waste catalogue (EWC)
15 01 10*	packaging containing residues of or contaminated by hazardous substances

ſ	Product name Hyspin AWS 68			Product code 4566	Page: 7/9		
	Version 3	Date of issue	8 December 2022	Format	South Africa	Language	ENGLISH
	Date of previous issue		22 November 2022.		(South Africa)		

# SECTION 13: Disposal considerations

Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
References	Commission 2014/955/EU Directive 2008/98/EC

# SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA		
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.		
14.2 UN proper shipping name	-	-	-	-		
14.3 Transport hazard class(es)	-	-	-	-		
14.4 Packing group	-	-	-	-		
14.5 Environmental hazards	No.	No.	No.	No.		
Additional information	-	-	-	-		

**14.6 Special precautions for** Not available. **user** 

14.7 Maritime transport in	Not available.
bulk according to IMO	
instruments	

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations	
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.
United States inventory (TSCA 8b)	All components are active or exempted.
Australia inventory (AIIC)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (CSCL)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	At least one component is not listed.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.

15.2 Chemical safety	A Chemical Safety Assessment has been carried out for one or more of the substances within
assessment	this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.

# SECTION 16: Other information

Abbreviations and	d acronyms	ADN = European Provisi Inland Waterway ADR = The European Ag Road ATE = Acute Toxicity Est BCF = Bioconcentration CAS = Chemical Abstrac CLP = Classification, Lat	greement concerning timate Factor :ts Service	the Internatior	nal Carriage of Dange	rous Goods by
Product name H	lyspin AWS 68	3		Product code	456618-ZA01	Page: 8/9
Version 3	Date of issue	8 December 2022	Format	South Africa	Language	ENGLISH
Date of previou	us issue	22 November 2022.		(South Africa)		

### **SECTION 16: Other information**

SECTION 16: Other	
	CSA = Chemical Safety Assessment
	CSR = Chemical Safety Report
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EINECS = European Inventory of Existing Commercial chemical Substances
	ES = Exposure Scenario
	EUH statement = CLP-specific Hazard statement
	EWC = European Waste Catalogue
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978. ("Marpol" = marine pollution)
	OECD = Organisation for Economic Co-operation and Development
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	[Regulation (EC) No. 1907/2006]
	RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
	RRN = REACH Registration Number
	SADT = Self-Accelerating Decomposition Temperature
	SVHC = Substances of Very High Concern
	STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
	STOT-SE = Specific Target Organ Toxicity - Single Exposure
	TWA = Time weighted average
	UN = United Nations
	UVCB = Complex hydrocarbon substance
	VOC = Volatile Organic Compound
	vPvB = Very Persistent and Very Bioaccumulative
	Varies = may contain one or more of the following 64741-88-4 / RRN 01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4/ RRN
	01-2119483621-38, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN 01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN
	01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN
	01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN 01 2110487077 29, 64742 56 9 / RRN 01 2110480132 48, 64742 57 0 / RRN
	01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN 01 2110480287 22 64742 58 1 64742 62 7 / PRN 01 2110480472 38 64742 63 8
	01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8, 64742-63-8, 64742-63-8, 64742-65-0 / RRN 01-2110471200-27, 64742-70-7 / RRN 01-2110487080-42, 72623-85-0 /
	64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 /
	RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN 01-2119474889-13
istory	
Date of issue/ Date of	08/12/2022
	08/12/2022.
revision	
Date of previous issue	22/11/2022.

Product Stewardship **Prepared by** 

Indicates information that has changed from previously issued version.

#### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

ſ	Product name Hyspin AWS 68			Product code 456618-ZA01		Page: 9/9	
	Version 3	Date of issue	8 December 2022	Format	South Africa	Language	ENGLISH
	Date of previous issue		22 November 2022.		(South Africa)		